

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/081,456	02/21/2002	James C. Paulson	019957-011213US	5830
20350	7590 06/16/2004	i.	EXAM	INER
	D AND TOWNSEN	RAO, MANJUNATH N		
TWO EMBARCADERO CENTER EIGHTH FLOOR SAN FRANCISCO, CA 94111-3834			ART UNIT	PAPER NUMBER
			1652	

DATE MAILED: 06/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/081,456	PAULSON ET AL.				
Office Action Summary	Examiner	Art Unit				
	Manjunath N. Rao, Ph.D.	1652				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim  within the statutory minimum of thirty (30) day; will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
<ol> <li>Responsive to communication(s) filed on <u>01 July</u></li> <li>This action is <b>FINAL</b>. 2b) This</li> <li>Since this application is in condition for allower closed in accordance with the practice under E</li> </ol>	action is non-final. nce except for formal matters, pro					
Disposition of Claims	•					
4) ⊠ Claim(s) <u>1-59</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) ⊠ Claim(s) <u>1-59</u> are subject to restriction and/or expressions.	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the orange Replacement drawing sheet(s) including the correction of the orange representation is objected to by the Examiner.	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

Art Unit: 1652

## **DETAILED ACTION**

Claims 1-59 are currently pending in this application.

## Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-7, 21-22, 59, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3GalIII) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- II. Claims 1-4, 8, 21-22, 59 drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3GalIV) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

Art Unit: 1652

III. Claims 1-4, 9, 21-22, 59 drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST6Gal I) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

- IV. Claims 1-4, 10, 21-22, 59, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3Gal I) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- V. Claims 1-4, 11, 21-22, 59, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a first recombinant

Art Unit: 1652

sialyltransferase (ST3Gal I) and a second recombinant sialyltransferase (ST3Gal III) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

- VI. Claims 1-4, 12-14, 21-23, 26-27 drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase of a bacterial origin (*Neisseria sp* 2, 3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- VII. Claims 1-4, 12, 15-16, 21-25, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase of a bacterial origin (*Photobacterium sp.* 2,6-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer

Art Unit: 1652

sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

- VIII. Claims 1-4, 12, 17-18, 30-31, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase of a bacterial origin (*Haemophilus sp.* 2, 3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- IX. Claims 1-4, 12, 19-20, 28-29, drawn to a commercial-scale production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase of a bacterial origin (*Campylobacter sp.* 2, 3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

Art Unit: 1652

- X. Claims 32-38, 39-40, 54-57, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3Gal III) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- XI. Claims 32-38, 41, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3Gal IV) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- XII. Claims 32-38, 42, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant

Art Unit: 1652

glycoprotein with a sialic acid donor moiety and a recombinant sialyltransferase (ST3Gal I) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

- XIII. Claims 32-38, 43, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a first recombinant sialyltransferase (ST3Gal I) and a second recombinant sialyltransferase (ST3Gal III) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- XIV. Claims 32-38, 44-45, 46-47, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant bacterial sialyltransferase (*Neisseria sp.* 2,3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid

Art Unit: 1652

from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

- XV. Claims 32-38, 44-45, 48-49, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant bacterial sialyltransferase (*Photobacterium sp.* 2,6-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.
- XVI. Claims 32-38, 44-45, 52-53, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant bacterial sialyltransferase (*Haemophilus sp.* 2,3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

Art Unit: 1652

XVII. Claims 32-38, 44-45, 50-51, drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a recombinant bacterial sialyltransferase (*Campylobacter sp.* 2,3-ST) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

XVIII. Claim 58 drawn to an commercial-scale *in-vitro* production method of sialylating a saccharide group on a recombinant glycoprotein, the method comprising contacting a saccharide group which comprises a galactose or N-acetylgalactosamine acceptor moiety on a recombinant glycoprotein with a sialic acid donor moiety and a first recombinant sialyltransferase (ST3Gal III) and a second recombinant sialyltransferase (ST6Gal I) in a reaction mixture which provides reactants required for sialyltransferase activity for a sufficient time and under appropriate conditions to transfer sialic acid from said sialic acid donor moiety to said saccharide group, classified in class 435, subclass 97.

The inventions are distinct, each from the other because of the following reasons:

Art Unit: 1652

Inventions I through XVIII are patentably distinct from each other. The method of sialylating a saccharide group in these 18 methods are all unrelated as they comprise distinct steps, utilize different enzymes substrates (donors and acceptors) and produce different results (i.e., products with specific linkages). They are subject to separate manufacture and sale and have acquired separate status in the art and separate fields of search.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Manjunath N. Rao, Ph.D. whose telephone number is 571-272-0939. The Examiner can normally be reached on 7.00 a.m. to 3.30 p.m. If

Art Unit: 1652

attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Ponnathapura Achutamurthy can be reached on 571-272-0928. The fax phone numbers for the organization where this application or proceeding is assigned is 703-872-9306 for regular communications and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1600.

Manjunath N. Rao June 12, 2004